



**SAFETY DATA SHEET**  
**BBJ Mold Control®**  
 for HVAC Systems and Air Ducts

BBJ Environmental Solutions  
 "The standard of care for indoor air"

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

**1.1 Product identifier**

**Product Name:** BBJ Mold Control® (for HVAC Systems and Air Ducts)  
**Product Codes(s):** 486-04, 490-06  
**EPA Registration No.:** 67212-3  
**Synonym(s):** Microbiocide in an aqueous solution  
**REACH Registration Number:** No data available

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**General use:** Microbial growth inhibitor for use on floors and walls  
**Uses advised against:** No uses advised against

**1.3 Details of the supplier and of the safety data sheet**

**Manufacturer**  
 BBJ Environmental Solutions  
 6321 Pelican Creek Circle  
 Riverview, FL 33578 USA  
 +1-813-622-8550; Toll free: +1-800-889-2251

**1.4 Emergency telephone number: Chemtrec (24 hours) +1-800-424-9300**

**SECTION 2 - HAZARDS IDENTIFICATION**

**2.1 Classification of substance or mixture**

**Product definition:** Mixture  
**Classification in accordance with 28 CFR 1910 (OSHA HCS) and Regulation (EC) No 1272/2008**  
 Not a dangerous product according to OSHA or to European Union Legislation

**2.2 Label Elements**

Not a dangerous substance according to GHS

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances**

Not applicable

**3.2 Mixtures**

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
<1	Dipropylene glycol monomethyl ether	34590-94-8	252-104-2	-----	-----
<0.1	2-Bromo-2-nitropropane-1,3-diol	52-51-7	200-143-0	603-085-00-8	H302, H312, H315, H318, H335, H400

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

**SECTION 4 - FIRST AID MEASURES**

**4.1 Description of first aid measures**

**Inhalation:** If product vapors or mists cause respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. If symptoms persist, seek medical attention immediately.

**Eyes:** Immediately flush eyes with large amounts of water for 15 minutes. Remove contact lenses after the first 5 minutes and continue washing. Obtain immediate medical attention, preferably from an ophthalmologist.

**Skin:** Wash affected area with soap and water. Wash contaminated clothing and shoes thoroughly before reuse. Seek prompt medical attention if rash develops or if you feel unwell.

**Ingestion:** Rinse mouth with water. If conscious and alert drink 2 - 4 cupfuls of milk or water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

**Potential health symptoms and effects**

**Eyes:** May cause eye irritation and chemical conjunctivitis.  
**Skin:** None expected. May cause mild irritation of unprotected skin with repeated and prolonged use.  
**Inhalation:** None expected. Inhalation of mists, vapors and/or spray may cause mild irritation of the respiratory system.  
**Ingestion:** May cause gastrointestinal upset with nausea, vomiting and diarrhea.  
**Chronic:** No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

##### Advice to Doctor and Hospital Personnel

Treat symptomatically and supportively.

### SECTION 5 - FIRE FIGHTING MEASURES

#### 5.1 Extinguishable media

**Suitable methods of extinction:** Use extinguishing media suitable for surrounding fire.

**Unsuitable methods of extinction:** None known

#### 5.2 Special hazards arising from the substance or mixture

Closed containers may explode (due to the buildup of pressure) when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

#### 5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff water to prevent environmental contamination.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing designated in Section 8. Ventilate the area.

#### 6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Cover with a large quantity of inert absorbent. Collect product using a shovel or broom and into place into an approved container for proper disposal. Observe possible material restrictions (section 7.2 and 10.5). Clean contaminated area with soap and water.

#### 6.4 Reference to other sections

For indications about waste treatment, see section 13.

### SECTION 7 - HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Observe label precautions. Wear all appropriate protective equipment specified in Section 8. Keep containers closed when not in use.

##### Advice on protection against fire and explosion

Keep away from heat, sparks and flame. Solutions containing glycol ethers in water can form flammable vapors with air if heated sufficiently.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep in cool, dry, ventilated storage areas in closed containers. Transfer only to approved containers having correct labeling. Containers that have been opened should be carefully resealed and kept upright to prevent leakage. Do not take internally. Keep out of reach of children.

#### 7.3 Specific end uses

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

##### Occupational exposure limits

CAS Number	Ingredient	OSHA PEL	ACGIH TLV
34590-94-8	Dipropylene glycol monomethyl ether	600 ppm; 100 ppm; skin	100 ppm TWA; 150 ppm STEL; skin

*A "skin" notation following the inhalation exposure guideline refers to the potential for dermal absorption of the material, including eyes and mucous membranes, either by direct contact with vapors or by direct skin contact. It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposure should be considered.*

#### 8.2 Exposure controls

**Engineering Measures:** Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to See Section 7.1.

**Individual protection measures:** Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

**Hygiene measures:** Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking or using the lavatory.

**Eye/face protection:** Wear protective goggles or safety glasses with unperforated side shields during use. Refer to 29 CFR 1910.133, ANSI Z87.1 or European Standard EN 166.

**Hand Protection:** Wear gloves recommended by glove supplier for protection against materials in section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

**Other protective equipment:** Protective clothing. Wear protective boots if the situation requires.

**Respiratory Protection:** Always use an approved respirator when vapor/aerosols are generated. Where risk assessment shows air-purifying respirators are appropriate use a full-faced respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls: Do not empty into drains.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Clear, colorless liquid
Odor	Mild
Odor Threshold	Not determined
Molecular Weight	Not applicable
Chemical Formula	Not applicable
pH	2.5 - 4.5 @ 20 °C (68 °F)
Freezing/Melting Point	0 °C (32 °F)
Initial Boiling Point	100 °C (212 °F)
Evaporation Rate	Not determined
Flammability (solid, gas)	Not applicable
Flash Point	Not determined
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Lower Explosive Limit (LEL)	Not determined
Upper Explosive Limit (UEL)	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Specific Gravity	1.00 - 1.05
Viscosity	Not determined
Solubility in Water	Dispersible
Partition Coefficient: n-octanol/water	<1
Volatiles by Volume @ 21 °C	>99%

### 9.2 Other data

No data available

## SECTION 10 - STABILITY AND REACTIVITY

### 10.1 Reactivity

No special reactivity has been reported.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

Extreme temperatures. Contact with incompatible materials.

### 10.5 Incompatible materials

Strong oxidizing agents, amines and alkalis

### 10.6 Hazardous decomposition products

Thermal decomposition products include carbon oxides, nitrogen oxides, aldehydes, ketones, organic acids, formaldehyde.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute Oral Toxicity

Not determined. Expected to have low toxicity.

#### Acute inhalation toxicity

Not determined. Expected to be non-toxic by inhalation.

#### Acute dermal toxicity

Not determined. Expected to be non-toxic by dermal contact.

#### Skin irritation

Not expected to cause skin irritation.

#### Eye irritation

Draize Test - Rabbit: Practically non-irritating to eye; conjunctivitis in some test subjects- 1 h; no ocular irritation after 24 hours.

#### Sensitization

Negative

#### Genotoxicity in vitro

No data available

#### Mutagenicity

No data available

#### Specific organ toxicity - single exposure

No data available

#### Specific organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

### 11.2 Further information

None of the components of this product are listed as carcinogens by ACGIH, IARC, NTP or OSHA. No data is available regarding the mutagenicity or teratogenicity of this product in humans, nor is there any available data that indicates it causes adverse developmental or fertility effects.

Further data: Handle in accordance with good industrial hygiene and safety practice.

## SECTION 12 - ECOLOGICAL INFORMATION

### 12.1 Toxicity

This product is not expected to be toxic to aquatic organisms.

### 12.2 Persistence and degradability

Material is expected to be biodegradable.

### 12.3 Bioaccumulation potential

This material is not expected to bioaccumulate.

### 12.4 Mobility

Potential for mobility of this product in natural bodies of water or moist soil is not expected to be an important fate process. The EPA does not have specific data for mobility of Bronopol in soil; however it does not anticipate ground water contamination from the use of this material. Based on the that dipropylene glycol monomethyl ether is completely miscible with water, it is assumed that there will be no tendency for accumulation to soil and sediment in a soil-water matrix.

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

#### Additional ecological information

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Do not allow material to run into surface waters, wastewater, sewers or soil.

## SECTION 13 - DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Methods of disposal:** The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**Hazardous waste:** The classification of this product may meet the criteria for a hazardous waste.

## SECTION 14 - TRANSPORT INFORMATION

**Note:** Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

**NOT REGULATED FOR TRANSPORT**

## SECTION 15 - REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

#### U. S. Federal Regulations

**OSHA Hazard Communication Standard:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

**OSHA Process Safety Management Standard:** Components of this product are not regulated under OSHA PSM Standard 29 CFR 1910.119.

**EPA Risk Management Planning Standard:** Components of this product are not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

**TSCA Status:** All components of this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

#### Superfund Amendments and Reauthorization Act (SARA)

**SARA Section 311/312 Hazard Categories:** This product does not contain any chemical components which are subject to the reporting requirements of Section 311/312 of the Emergency Planning and Community Right-to Know Act of 1986.

**SARA 313 Information:** None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

#### SARA 302/304 Extremely Hazardous Substance

No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

#### SARA 302/304 Emergency Planning & Notification

No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

**Comprehensive Response Compensation and Liability Act (CERCLA):** Contains no chemicals regulated under CERCLA.

#### Clean Air Act (CAA)

This product does not contain any chemicals that are listed as Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain any Class 1 Ozone depleters.

This product does not contain any Class 2 Ozone depleters.

### Clean Water Act (CWA)

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

### U.S. State Regulations

#### California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

This product contains no chemical(s) known to the state of California to cause cancer, birth defects or other reproductive harm.

#### Other U.S. State Inventories

None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by State Hazardous Substance Inventories or Right-to-Know lists and/or Air Quality/Air Pollutants lists.

### Canada

**WHMIS Hazard Symbol and Classification:** None allocated

**Canadian National Pollutant Release Inventory (NPRI):** None of the ingredients in this product are listed on the NPRI.

### European Economic Community

**WGK, Germany (Water danger/protection):** Non-hazardous

### Global Chemical Inventory Lists

Country	Inventory Name	Inventory Listing*
Canada:	Domestic Substance List (DSL).	Yes
Canada:	Non-Domestic Substance List (NDSL).	No
Europe:	Inventory of New and Existing Chemicals (EINECS)	Yes
United States:	Toxic Substance Control Act (TSCA)	Yes
Australia:	Australian Inventory of Chemical Substances (AICS)	Yes
New Zealand:	New Zealand Inventory of Chemicals (NZIoC)	Yes
China:	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan:	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea:	Existing Chemicals List (ECL)	Yes
Philippines:	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes

\*Yes - All components of this product are in compliance with the inventory requirements administered by the governing country.

No - one or more components of this product are not on the inventory and are not exempt from listing.

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

## SECTION 16 - OTHER INFORMATION

### Hazardous Material Information System (HMIS)

Health	0
Flammability	0
Physical Hazard	0
Personal Protection	B



Safety Glasses




Gloves

#### HMIS and NFPA Hazard Rating Legend

\* = Chronic Health Hazard      2 = MODERATE  
0 = INSIGNIFICANT                3 = HIGH  
1 = SLIGHT                            4 = EXTREME

### National Fire Protection Association (NFPA)

#### Flammability



### Full text of GHS Hazard Phrases referenced in Section 3 (not covered in Section 2)

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

BBJ Environmental Solutions assumes no legal responsibility or liability from the described product's use. All chemicals possess unknown potential hazards. The information herein should be used only to supplement the end user's existing knowledge. Read directions for proper use. This SDS was written for the product as packaged. Product may turn yellow, orange or brown if pH becomes alkaline; however, this should not affect the product's effectiveness. If frozen, crystals may remain in the container after thawing. Shake until dissolved before using. Cleaning Contractors shall comply with all applicable OSHA regulations.

Revision date: Updates to format and regulatory data, 7 August 2012

Preparation Date: 26 May 2016